## **TINETTI ASSESSMENT**

BALANCE TEST: Subject is seated on hard, armless chair	Date	Date	Date	Date
Sitting Balance: Leans or slides in chair=0; Steady, safe=1				
Arises: Unable w/o help=0; Able, uses arms to help=1; Able w/o arms=2				
Attempts to Arise: Unable w/o help=0; Able,requires >1 attempt=1; Able on first attempt=2				
Immediate Standing Balance(first 5 seconds):				
Unsteady(moves feet, sways, swaggers)=0; Steady but uses support=1; Steady without support=2				
Standing Balance: Unsteady=0; Steady but >4 BOS & requires support=1; Narrow stance w/o support=2				
Sternal Nudge (feet close together):  Begins to fall=0; Stagger, grabs, catches self=1; Steady=2				
Eyes Closed (feet close together): Unsteady=0; Steady=1				
Turning 360 degrees: Discontinuous steps=0; Continuous steps=1				
Turning 360 degrees: Unsteady (grabs, staggers)=0: Steady=1				
Sitting Down: Unsafe (misjudges distance, falls)=0; Uses arms or not a smooth motion=1; Safe, smooth motion=2				
BALANCE SCORE	/16	/16	/16	/16
GAIT TESTS: Subject walks at Normal Pace	Date	Date	Date	Date
Gait Initiation: (Immediately after told "go")				
ANY NESITANCY, MUITIPIE ATTEMPTS TO STAIT=U; NO NESITANCY=1				
Any hesitancy, multiple attempts to start=0; No hesitancy=1  Step Length: R swing foot passes L stance leg=1 L swing foot passes R stance leg=1				
Step Length:				
Step Length: R swing foot passes L stance leg=1 L swing foot passes R stance leg=1 Foot Clearance: R foot completely clears floor=1				
Step Length: R swing foot passes L stance leg=1 L swing foot passes R stance leg=1 Foot Clearance: R foot completely clears floor=1 L foot completely clears floor=1 Step Symmetry:				
Step Length: R swing foot passes L stance leg=1 L swing foot passes R stance leg=1 Foot Clearance: R foot completely clears floor=1 L foot completely clears floor=1 Step Symmetry: R and L step length unequal=0; R and L step length equal=1 Step Continuity:				
Step Length: R swing foot passes L stance leg=1 L swing foot passes R stance leg=1 Foot Clearance: R foot completely clears floor=1 L foot completely clears floor=1 Step Symmetry: R and L step length unequal=0; R and L step length equal=1 Step Continuity: Stopping or discontinuity between steps=0; Steps appear continuous=1 Path (excursion) Marked deviation=0; Mild/Moderate deviation or uses device=1; Straight				
Step Length: R swing foot passes L stance leg=1 L swing foot passes R stance leg=1  Foot Clearance: R foot completely clears floor=1 L foot completely clears floor=1 Step Symmetry: R and L step length unequal=0; R and L step length equal=1  Step Continuity: Stopping or discontinuity between steps=0; Steps appear continuous=1  Path (excursion) Marked deviation=0; Mild/Moderate deviation or uses device=1; Straight without assistive device=2  Trunk Marked sway our uses assistive device=0; No sway, but knee or trunk				
Step Length: R swing foot passes L stance leg=1 L swing foot passes R stance leg=1 Foot Clearance: R foot completely clears floor=1 L foot completely clears floor=1 Step Symmetry: R and L step length unequal=0; R and L step length equal=1 Step Continuity: Stopping or discontinuity between steps=0; Steps appear continuous=1 Path (excursion) Marked deviation=0; Mild/Moderate deviation or uses device=1; Straight without assistive device=2 Trunk Marked sway our uses assistive device=0; No sway, but knee or trunk flexion or spreads arms out while walking=1; None of above=2 Base of Support	/12	/12	/12	/12